IN THE UNITED STATES DISTRICT COURT FOR THE EASTERN DISTRICT OF TEXAS MARSHALL DIVISION

ARCHER AND WHITE SALES, INC., § § § Plaintiff, CIVIL ACTION NO. 2:12-CV-00572-JRG v. HENRY SCHEIN, INC., DANAHER § CORPORATION, INSTRUMENTARIUM DENTAL INC., DENTAL EQUIPMENT § LLC, KAVO DENTAL TECHNOLOGIES. § LLC, DENTAL IMAGING TECHNOLOGIES, CORPORATION, PATTERSON COMPANIES, INC., BENCO DENTAL SUPPLY CO., Defendants.

ORDER

Before the Court is Defendants Henry Schein, Inc.; Danaher Corporation; Instrumentarium Dental Inc.; Dental Equipment LLC; Kavo Dental Technologies, LLC; Dental Imaging Technologies, Corporation; Patterson Companies, Inc.; and Benco Dental Supply Co.'s (collectively, the "Defendants") Motion for Leave to File Defendants' Motion for Hearing (the "Motion"). (Dkt. No. 437.) Previously, the Defendants together with Plaintiff Archer and White Sales, Inc. ("Archer and White") filed a Joint Motion for Hearing (the "Joint Motion") requesting a hearing on several outstanding motions. (Dkt. No. 435.) The Court denied the Joint Motion but invited the parties to file a new joint motion requesting a hearing directed at up to but not more than three (3) outstanding pending pre-trial motions. (Dkt. No. 436.)

In the Motion, the Defendants represent that Archer and White has refused to file a joint motion with Defendants designating which motions to set for hearing. Accordingly, the

Case 2:12-cv-00572-JRG Document 439 Filed 11/13/19 Page 2 of 2 PageID #: 12007

Defendants request leave to file Defendants' Motion for Hearing. Having reviewed the Motion,

the Court is of the opinion that it should be and hereby is **GRANTED**.

Accordingly, it is **ORDERED** that the Defendants are permitted leave to file Defendants'

Motion for Hearing (Dkt. No. 438). It is further **ORDERED** that Archer and White's response to

the same, to the extent Archer and White intends to respond, shall be filed within three (3) days of

the issuance of this Order.

So Ordered this

Nov 12, 2019

RODNEY GILSTRAF

UNITED STATES DISTRICT JUDGE